


REVISIONS						
Revision	Drawn By	Checked By	Date	DESCRIPTION	Cad Updated	
					Yes	No
0	LST	JRL	10-7-16	Initial Revision	X	




SECTION A-A

CAMBER TOLERANCES = .006"/in/in

"A"	0.250" ± .010"
"B" P/N 556	5.500" ± .050"
"B" P/N 794	11.625" ± .125"

Scale  
1:1

Fired Print

Tolerance Unless Otherwise Noted ± 1%, No Less Than .005"	<del>           TOLERANCES UNLESS OTHERWISE SPECIFIED:             Fraction = ± 1/64            2 PL = ± .01            3 PL = ± .001            4 PL = ± .0001            Angles = ± 1/2°         </del>	 <b>Associated Ceramics</b> 400 North Pike Rd. Sarver Pa. 16055 Tel. (724) 353-1585 Fax (724) 353-1050	PART #		
	<b>ACT 556, 794</b>		QUANTITY:	MATERIAL: AC-AL960 (96% ALUMINA)	
	TAPPED, DRILLED & C'BORED HOLE LOCATIONS ARE UNDERSTOOD TO BE ±.005 UNLESS OTHERWISE SPECIFIED		DIMENSIONS DISPLAYED AS "INCH"		
	REFER TO CAD FILE FOR ALL GEOMETRY THAT IS NOT FULLY DIMENSIONED		DESCRIPTION :	ITEM #:	
		Alignment Rod			
<b>HILLIARD &amp; REED ENGINEERING</b>			180 REED RD. KITTANNING PA. 16201 info@hilliard-reed-engineering.com	<b>B</b>	
				SHEET 1 OF 1	

THIS DRAWING CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF ASSOCIATED CERAMICS. IT IS NOT TO BE REPRODUCED, WHOLLY OR IN PART, NOR ITS CONTENTS TO BE DISCLOSED TO THIRD PARTIES WITHOUT THE EXPRESSED PRIOR WRITTEN CONSENT OF ASSOCIATED CERAMICS.